

超音波検診実態調査

の

集計成績

1

超音波診断装置に関して  
腹部超音波検診使用装置台数  
超音波検診全国集計成績

|          | 群  | 群   | 合計  |
|----------|----|-----|-----|
| 1.1 - 2台 | 11 | 27  | 38  |
| 2.3 - 5台 | 22 | 39  | 61  |
| 3.6台以上   | 11 | 39  | 50  |
| 記載なし     | 0  | 0   | 0   |
| 合計       | 44 | 105 | 149 |

2

超音波診断装置に関して  
カラードプラ機能保有  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1.なし       | 0  | 2   | 2   |
| 2.一部の装置にあり | 6  | 7   | 13  |
| 3.全装置にあり   | 38 | 96  | 134 |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

3

超音波診断装置に関して  
ティッシュハーモニック機能保有  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1.なし       | 1  | 9   | 10  |
| 2.一部の装置にあり | 4  | 13  | 17  |
| 3.全装置にあり   | 39 | 83  | 122 |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

4

超音波診断装置に関して  
7MHz以上の高周波プローブを装着  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1.なし       | 2  | 9   | 11  |
| 2.一部の装置にあり | 8  | 27  | 35  |
| 3.全装置にあり   | 34 | 69  | 103 |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

5

超音波診断装置に関して  
最も新しい装置の製造後年数  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1. 6年以下    | 42 | 88  | 130 |
| 2. 7 - 12年 | 2  | 17  | 19  |
| 3. 13年以上   | 0  | 0   | 0   |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

6

超音波診断装置に関して  
最も古い装置の製造後年数  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1. 6年以下    | 11 | 24  | 35  |
| 2. 7 - 12年 | 30 | 76  | 106 |
| 3. 13年以上   | 3  | 5   | 8   |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

7

超音波検査に関して  
平均検査所要時間(1件当たり)  
超音波検診全国集計成績

|             | 群  | 群   | 合計  |
|-------------|----|-----|-----|
| 1.5分未満      | 1  | 1   | 2   |
| 2.5 - 10分未満 | 23 | 60  | 83  |
| 3.10 - 15分  | 18 | 37  | 55  |
| 4.15分以上     | 1  | 6   | 7   |
| 5.その他       | 1  | 1   | 2   |
| 記載なし        | 0  | 0   | 0   |
| 合計          | 44 | 105 | 149 |



8

超音波検査に関して  
平均記録画像数(1件当たり)  
超音波検診全国集計成績

|               | 群  | 群   | 合計  |
|---------------|----|-----|-----|
| 1.記録せず        | 0  | 0   | 0   |
| 2.静止画像のみ5枚未満  | 0  | 4   | 4   |
| 3.静止画像のみ10枚未満 | 9  | 26  | 35  |
| 4.静止画像のみ10枚以上 | 24 | 59  | 83  |
| 5.動画像を含む      | 11 | 16  | 27  |
| 記載なし          | 0  | 0   | 0   |
| 合計            | 44 | 105 | 149 |

超音波検査に関して  
記録様式  
超音波検診全国集計成績

|                     | 群  | 群   | 合計  |
|---------------------|----|-----|-----|
| 1. 保管せず             | 0  | 0   | 0   |
| 2. 紙媒体              | 6  | 21  | 27  |
| 3. 電子保管 (CD, DVDなど) | 2  | 13  | 15  |
| 4. DICOM            | 32 | 61  | 93  |
| 5. その他              | 4  | 10  | 14  |
| 記載なし                | 0  | 0   | 0   |
| 合計                  | 44 | 105 | 149 |

超音波検査担当者に関して  
検査担当者人数(総数)  
超音波検診全国集計成績

|          | 群  | 群   | 合計  |
|----------|----|-----|-----|
| 1.1 - 2人 | 5  | 10  | 15  |
| 2.3 - 5人 | 18 | 36  | 54  |
| 3.6人以上   | 21 | 59  | 80  |
| 記載なし     | 0  | 0   | 0   |
| 合計       | 44 | 105 | 149 |

超音波検査担当者に関して  
主な検査担当者職種(最多数件数担当)  
超音波検診全国集計成績

|            | 群  | 群   | 合計  |
|------------|----|-----|-----|
| 1. 臨床検査技師  | 39 | 94  | 133 |
| 2. 診療放射線技師 | 5  | 7   | 12  |
| 3. 看護師     | 0  | 1   | 1   |
| 4. 医師      | 0  | 3   | 3   |
| 記載なし       | 0  | 0   | 0   |
| 合計         | 44 | 105 | 149 |

超音波検査担当者に関して  
日本超音波医学会超音波検査士有無  
超音波検診全国集計成績

|              | 群  | 群   | 合計  |
|--------------|----|-----|-----|
| 1. なし        | 7  | 16  | 23  |
| 2. 1部あり      | 33 | 81  | 114 |
| 3. 全員あり      | 4  | 8   | 12  |
| 2. 3の場合資格種類  |    |     |     |
| (1)検診        | 26 | 61  | 87  |
| (2)消化器       | 31 | 67  | 98  |
| (3)体表臓器      | 21 | 48  | 69  |
| (4)血管        | 6  | 8   | 14  |
| (5)循環器       | 12 | 27  | 39  |
| (6)泌尿器       | 7  | 17  | 24  |
| (7)産婦人科      | 2  | 4   | 6   |
| 2. 3の項目で記載なし |    | 0   | 0   |
| 記載なし         | 0  | 0   | 0   |
| 合計           | 44 | 105 | 149 |

## 読影診断担当医師に関して

認定医(肝胆膵)あるいは日本超音波医学会超音波専門医の資格保有者有無

## 超音波検診全国集計成績

|                        | 群  | 群   | 合計  |
|------------------------|----|-----|-----|
| 1. なし                  | 20 | 64  | 84  |
| 2. 1部あり                | 21 | 39  | 60  |
| 3. 全員あり                | 3  | 2   | 5   |
| 2. 3の場合資格種類            |    |     |     |
| (1)日本消化器がん検診学会認定医(肝胆膵) | 12 | 23  | 35  |
| (2)日本超音波医学会超音波専門医      | 20 | 34  | 54  |
| 2. 3の項目で記載なし           | 0  | 0   | 0   |
| 記載なし                   | 0  | 0   | 0   |
| 合計                     | 44 | 105 | 149 |

超音波検診後の追跡調査に関して  
要精査例に対する医療機関の紹介  
超音波検診全国集計成績

|                | 群  | 群   | 合計  |
|----------------|----|-----|-----|
| 1. 行っている       | 17 | 52  | 69  |
| 2. 希望者にのみ行っている | 18 | 27  | 45  |
| 3. 特に行っていない    | 9  | 20  | 29  |
| 記載なし           | 0  | 6   | 6   |
| 合計             | 44 | 105 | 149 |

15

超音波検診後の追跡調査に関して  
要精査例に対する追跡調査、受診勧奨の実施  
超音波検診全国集計成績

|                     | 群  | 群   | 合計  |
|---------------------|----|-----|-----|
| 1. 特に行っていない         | 10 | 28  | 38  |
| 2. 追跡調査のみ           | 17 | 30  | 47  |
| 3. 追跡調査および未受診者に受診勧奨 | 17 | 41  | 58  |
| 記載なし                | 0  | 6   | 6   |
| 合計                  | 44 | 105 | 149 |



超音波検診後の追跡調査に関して  
偽陰性例の調査、登録の実施  
超音波検診全国集計成績

|                       | 群  | 群   | 合計  |
|-----------------------|----|-----|-----|
| 1. 行っていない             | 34 | 82  | 116 |
| 2. 経年受診者や所属団体からの連絡により | 9  | 14  | 23  |
| 3. 精査機関に問合せ           | 1  | 3   | 4   |
| 4. 地域がん登録などを利用し調査     | 0  | 0   | 0   |
| 記載なし                  | 0  | 6   | 6   |
| 合計                    | 44 | 105 | 149 |

受診者数年齢性別区分：5才区分：男女合計  
 超音波検診全国集計成績

| 群    | 総数        | 29以下   | 30～34  | 35～39   | 40～44   | 45～49   | 50～54   | 55～59   | 60～64   | 65～69   | 70～74  | 75～79  | 80～    | 40未満   | 70以上  | 年齢不明 |
|------|-----------|--------|--------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|--------|-------|------|
| 受診者数 | 1,496,748 | 22,810 | 45,900 | 111,285 | 207,869 | 202,032 | 201,104 | 203,507 | 171,228 | 149,436 | 77,892 | 58,342 | 31,366 | 10,563 | 3,413 | 1    |
| 群    | 総数        | 29以下   | 30～34  | 35～39   | 40～44   | 45～49   | 50～54   | 55～59   | 60～64   | 65～69   | 70～74  | 75～79  | 80～    | 40未満   | 70以上  | 年齢不明 |
| 受診者数 | 1,073,214 | 8,976  | 26,848 | 70,109  | 145,245 | 145,471 | 158,248 | 144,637 | 116,459 | 114,925 | 76,106 | 40,378 | 21,129 | 4,683  | 0     | 0    |

受診者数年齢性別区分 : 10才区分 : 男女合計

超音波検診全国集計成績

| 群    | 総数        | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79   | 80～    | 40未満    | 70以上   | 年齢不明 |
|------|-----------|-------|--------|---------|---------|---------|---------|--------|---------|--------|------|
| 受診者数 | 1,706,283 | 9,632 | 79,563 | 526,801 | 465,160 | 328,752 | 110,693 | 34,993 | 126,941 | 23,748 | 0    |
| 群    | 総数        | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79   | 80～    | 40未満    | 70以上   | 年齢不明 |
| 受診者数 | 207,854   | 1,068 | 16,536 | 51,311  | 46,707  | 50,913  | 30,870  | 7,436  | 1,230   | 1,783  | 0    |

受診者数年齢性別区分 : 5才区分 : 男性  
 超音波検診全国集計成績

| 群    | 総数      | 29以下   | 30～34  | 35～39  | 40～44   | 45～49   | 50～54   | 55～59   | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満  | 70以上  | 年齢不明 |
|------|---------|--------|--------|--------|---------|---------|---------|---------|--------|--------|--------|--------|--------|-------|-------|------|
| 受診者数 | 797,275 | 10,231 | 22,682 | 58,438 | 112,153 | 110,430 | 110,204 | 113,833 | 93,188 | 78,899 | 37,775 | 26,264 | 15,436 | 5,647 | 2,094 | 1    |
| 群    | 総数      | 29以下   | 30～34  | 35～39  | 40～44   | 45～49   | 50～54   | 55～59   | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満  | 70以上  | 年齢不明 |
| 受診者数 | 602,871 | 3,897  | 14,072 | 39,157 | 81,295  | 84,166  | 97,138  | 90,446  | 65,072 | 57,387 | 36,974 | 19,511 | 11,047 | 2,709 | 0     | 0    |

受診者数年齢性別区分：10才区分：男性

超音波検診全国集計成績

| 群    | 総数      | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79  | 80～    | 40未満   | 70以上   | 年齢不明 |
|------|---------|-------|--------|---------|---------|---------|--------|--------|--------|--------|------|
| 受診者数 | 992,736 | 4,807 | 41,133 | 312,132 | 286,710 | 189,344 | 53,496 | 17,321 | 72,797 | 14,996 | 0    |
| 群    | 総数      | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79  | 80～    | 40未満   | 70以上   | 年齢不明 |
| 受診者数 | 101,267 | 563   | 7,313  | 25,931  | 25,083  | 22,766  | 13,966 | 3,621  | 798    | 1,226  | 0    |

受診者数年齢性別区分 : 5才区分 : 女性  
 超音波検診全国集計成績

| 群    | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満  | 70以上  | 年齢不明 |
|------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|
| 受診者数 | 699,473 | 12,579 | 23,218 | 52,847 | 95,716 | 91,602 | 90,900 | 89,674 | 78,040 | 70,537 | 40,117 | 32,078 | 15,930 | 4,916 | 1,319 | 0    |
| 群    | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満  | 70以上  | 年齢不明 |
| 受診者数 | 470,343 | 5,079  | 12,776 | 30,952 | 63,950 | 61,305 | 61,110 | 54,191 | 51,387 | 57,538 | 39,132 | 20,867 | 10,082 | 1,974 | 0     | 0    |

受診者数年齢性別区分 : 10才区分 : 女性

超音波検診全国集計成績

| 群    | 総数      | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79  | 80～    | 40未満   | 70以上  | 年齢不明 |
|------|---------|-------|--------|---------|---------|---------|--------|--------|--------|-------|------|
| 受診者数 | 713,547 | 4,825 | 38,430 | 214,669 | 178,450 | 139,408 | 57,197 | 17,672 | 54,144 | 8,752 | 0    |
| 群    | 総数      | 29以下  | 30～39  | 40～49   | 50～59   | 60～69   | 70～79  | 80～    | 40未満   | 70以上  | 年齢不明 |
| 受診者数 | 106,587 | 505   | 9,223  | 25,380  | 21,624  | 28,147  | 16,904 | 3,815  | 432    | 557   | 0    |

『肝』 カテゴリー判定結果：5才区分：男女合計  
超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上   | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| A                   | 受診者数   | 402,044 | 4,902  | 11,155 | 28,461 | 56,263 | 55,959 | 57,686 | 54,672 | 44,318 | 40,138 | 23,084 | 14,736 | 7,768  | 2,409  | 493    | 0     |
| カテゴリー判定             | 0      | 10,199  | 0      | 261    | 407    | 1,235  | 1,490  | 1,582  | 1,726  | 1,474  | 1,117  | 552    | 237    | 116    | 1      | 1      | 0     |
|                     | 1      | 87,251  | 1,368  | 2,711  | 8,184  | 15,221 | 13,260 | 11,854 | 10,748 | 8,434  | 7,212  | 3,563  | 1,944  | 1,122  | 1,365  | 265    | 0     |
|                     | 2      | 83,035  | 275    | 1,035  | 4,370  | 10,507 | 12,573 | 13,774 | 13,893 | 10,777 | 8,501  | 3,694  | 2,096  | 962    | 355    | 223    | 0     |
|                     | 3      | 2,502   | 21     | 60     | 232    | 415    | 408    | 383    | 334    | 262    | 201    | 90     | 50     | 25     | 19     | 2      | 0     |
|                     | 3'     | 388     | 0      | 8      | 18     | 56     | 62     | 61     | 56     | 49     | 46     | 18     | 6      | 7      | 0      | 1      | 0     |
|                     | 4      | 777     | 4      | 11     | 58     | 118    | 111    | 144    | 130    | 90     | 62     | 34     | 10     | 5      | 0      | 0      | 0     |
|                     | 4'     | 293     | 0      | 5      | 20     | 41     | 61     | 45     | 48     | 38     | 20     | 10     | 2      | 3      | 0      | 0      | 0     |
|                     | 5      | 10      | 1      | 0      | 0      | 2      | 2      | 0      | 0      | 1      | 2      | 0      | 1      | 0      | 0      | 1      | 0     |
|                     | 5'     | 1       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 不明     | 217,588 | 3,233  | 7,064  | 15,172 | 28,668 | 27,992 | 29,843 | 27,737 | 23,192 | 22,977 | 15,123 | 10,390 | 5,528  | 669    | 0      | 0     |
| B                   | 要精検者数  | 6,238   | 15     | 86     | 344    | 894    | 744    | 842    | 761    | 738    | 737    | 473    | 297    | 212    | 88     | 7      | 0     |
| B / A %             |        | 1.55%   | 0.31%  | 0.77%  | 1.21%  | 1.59%  | 1.33%  | 1.46%  | 1.39%  | 1.67%  | 1.84%  | 2.05%  | 2.02%  | 2.73%  | 3.65%  | 1.42%  | 0.00% |
| C                   | 精検受診者数 | 4,070   | 9      | 54     | 201    | 515    | 437    | 486    | 458    | 509    | 546    | 396    | 245    | 178    | 33     | 3      | 0     |
| C / B %             |        | 65.25%  | 60.00% | 62.79% | 58.43% | 57.61% | 58.74% | 57.72% | 60.18% | 68.97% | 74.08% | 83.72% | 82.49% | 83.96% | 37.50% | 42.86% | 0.00% |
| D                   | 悪性症例数  | 68      | 0      | 0      | 1      | 2      | 2      | 6      | 4      | 12     | 10     | 12     | 10     | 9      | 0      | 0      | 0     |
| D / A %             |        | 0.02%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.01%  | 0.03%  | 0.02%  | 0.05%  | 0.07%  | 0.12%  | 0.00%  | 0.00%  | 0.00% |
| D / B % (陽性反応適中度)   |        | 1.09%   | 0.00%  | 0.00%  | 0.29%  | 0.22%  | 0.27%  | 0.71%  | 0.53%  | 1.63%  | 1.36%  | 2.54%  | 3.37%  | 4.25%  | 0.00%  | 0.00%  | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% |

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49   | 50～54   | 55～59   | 60～64  | 65～69   | 70～74   | 75～79   | 80～     | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|---------|---------|---------|--------|---------|---------|---------|---------|--------|-------|-------|
| A                   | 受診者数   | 171,097 | 1,548  | 4,374  | 11,583 | 23,966 | 24,215  | 25,921  | 23,279  | 18,063 | 17,312  | 11,214  | 5,875   | 3,078   | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 1      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 2      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3'     | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4'     | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 不明     | 171,097 | 1,548  | 4,374  | 11,583 | 23,966 | 24,215  | 25,921  | 23,279  | 18,063 | 17,312  | 11,214  | 5,875   | 3,078   | 669    | 0     | 0     |
| B                   | 要精検者数  | 4,921   | 10     | 72     | 260    | 688    | 560     | 631     | 575     | 588    | 618     | 413     | 252     | 188     | 66     | 0     | 0     |
| B / A %             |        | 2.88%   | 0.65%  | 1.65%  | 2.24%  | 2.87%  | 2.31%   | 2.43%   | 2.47%   | 3.26%  | 3.57%   | 3.68%   | 4.29%   | 6.11%   | 9.87%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 3,352   | 7      | 46     | 159    | 412    | 337     | 394     | 356     | 423    | 481     | 350     | 208     | 159     | 20     | 0     | 0     |
| C / B %             |        | 68.12%  | 70.00% | 63.89% | 61.15% | 59.88% | 60.18%  | 62.44%  | 61.91%  | 71.94% | 77.83%  | 84.75%  | 82.54%  | 84.57%  | 30.30% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 44      | 0      | 0      | 0      | 0      | 1       | 5       | 3       | 9      | 7       | 8       | 6       | 5       | 0      | 0     | 0     |
| D / A %             |        | 0.03%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.02%   | 0.01%   | 0.05%  | 0.04%   | 0.07%   | 0.10%   | 0.16%   | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.89%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.18%   | 0.79%   | 0.52%   | 1.53%  | 1.13%   | 1.94%   | 2.38%   | 2.66%   | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65      | 0      | 0      | 1      | 1      | 2       | 5       | 4       | 6      | 9       | 19      | 9       | 9       | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 147.73% | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 200.00% | 100.00% | 133.33% | 66.67% | 128.57% | 237.50% | 150.00% | 180.00% | 0.00%  | 0.00% | 0.00% |



『肝』 カテゴリー判定結果 : 10才区分 : 男女合計  
 超音波検診全国集計成績

| I 群              |        | 総数      | 29以下   | 30～39  | 40～49  | 50～59  | 60～69  | 70～79   | 80～     | 40未満   | 70以上    | 年齢不明  |
|------------------|--------|---------|--------|--------|--------|--------|--------|---------|---------|--------|---------|-------|
| A                | 受診者数   | 280,216 | 1,776  | 13,472 | 83,532 | 74,356 | 55,064 | 21,329  | 6,877   | 20,272 | 3,538   | 0     |
| カテゴリー判定          | 0      | 195     | 0      | 18     | 73     | 66     | 27     | 7       | 1       | 2      | 1       | 0     |
|                  | 1      | 172,786 | 1,681  | 11,239 | 48,614 | 36,938 | 33,740 | 19,279  | 6,394   | 13,553 | 1,348   | 0     |
|                  | 2      | 87,810  | 68     | 1,549  | 28,704 | 30,582 | 17,623 | 1,834   | 426     | 5,642  | 1,382   | 0     |
|                  | 3      | 4,492   | 15     | 216    | 1,558  | 1,403  | 728    | 157     | 39      | 301    | 75      | 0     |
|                  | 3'     | 440     | 0      | 15     | 97     | 166    | 113    | 31      | 6       | 11     | 1       | 0     |
|                  | 4      | 1,054   | 0      | 13     | 402    | 296    | 145    | 11      | 8       | 170    | 9       | 0     |
|                  | 4'     | 86      | 0      | 0      | 26     | 37     | 16     | 3       | 0       | 4      | 0       | 0     |
|                  | 5      | 27      | 0      | 0      | 3      | 4      | 11     | 6       | 3       | 0      | 0       | 0     |
|                  | 5'     | 1       | 0      | 0      | 0      | 0      | 0      | 1       | 0       | 0      | 0       | 0     |
|                  | 不明     | 13,325  | 12     | 422    | 4,055  | 4,864  | 2,661  | 0       | 0       | 589    | 722     | 0     |
| B                | 要精検者数  | 2,643   | 6      | 133    | 891    | 751    | 445    | 85      | 35      | 250    | 47      | 0     |
| B/A%             |        | 0.94%   | 0.34%  | 0.99%  | 1.07%  | 1.01%  | 0.81%  | 0.40%   | 0.51%   | 1.23%  | 1.33%   | 0.00% |
| C                | 精検受診者数 | 887     | 4      | 72     | 240    | 257    | 172    | 77      | 28      | 27     | 10      | 0     |
| C/B%             |        | 33.56%  | 66.67% | 54.14% | 26.94% | 34.22% | 38.65% | 90.59%  | 80.00%  | 10.80% | 21.28%  | 0.00% |
| D                | 悪性症例数  | 29      | 0      | 0      | 0      | 4      | 12     | 6       | 6       | 0      | 1       | 0     |
| D/A%             |        | 0.01%   | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.02%  | 0.03%   | 0.09%   | 0.00%  | 0.03%   | 0.00% |
| D/B% (陽性反応適中度)   |        | 1.10%   | 0.00%  | 0.00%  | 0.00%  | 0.53%  | 2.70%  | 7.06%   | 17.14%  | 0.00%  | 2.13%   | 0.00% |
| D票回収数            |        | 3       | 0      | 0      | 0      | 2      | 0      | 0       | 0       | 0      | 1       | 0     |
| D票回収数/D% (D票回収率) |        | 10.34%  | 0.00%  | 0.00%  | 0.00%  | 50.00% | 0.00%  | 0.00%   | 0.00%   | 0.00%  | 100.00% | 0.00% |
| II 群             |        | 総数      | 29以下   | 30～39  | 40～49  | 50～59  | 60～69  | 70～79   | 80～     | 40未満   | 70以上    | 年齢不明  |
| A                | 受診者数   | 29,345  | 152    | 2,361  | 7,252  | 6,485  | 7,209  | 4,406   | 1,062   | 165    | 253     | 0     |
| カテゴリー判定          | 0      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 1      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 2      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 3      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 3'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 4      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 4'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0      | 0       | 0     |
|                  | 不明     | 29,345  | 152    | 2,361  | 7,252  | 6,485  | 7,209  | 4,406   | 1,062   | 165    | 253     | 0     |
| B                | 要精検者数  | 765     | 1      | 54     | 170    | 163    | 199    | 114     | 49      | 9      | 6       | 0     |
| B/A%             |        | 2.61%   | 0.66%  | 2.29%  | 2.34%  | 2.51%  | 2.76%  | 2.59%   | 4.61%   | 5.45%  | 2.37%   | 0.00% |
| C                | 精検受診者数 | 501     | 0      | 24     | 87     | 96     | 147    | 97      | 41      | 4      | 5       | 0     |
| C/B%             |        | 65.49%  | 0.00%  | 44.44% | 51.18% | 58.90% | 73.87% | 85.09%  | 83.67%  | 44.44% | 83.33%  | 0.00% |
| D                | 悪性症例数  | 3       | 0      | 0      | 0      | 0      | 0      | 2       | 1       | 0      | 0       | 0     |
| D/A%             |        | 0.01%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.05%   | 0.09%   | 0.00%  | 0.00%   | 0.00% |
| D/B% (陽性反応適中度)   |        | 0.39%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 1.75%   | 2.04%   | 0.00%  | 0.00%   | 0.00% |
| D票回収数            |        | 19      | 0      | 0      | 0      | 3      | 6      | 5       | 5       | 0      | 0       | 0     |
| D票回収数/D% (D票回収率) |        | 633.33% | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 250.00% | 500.00% | 0.00%  | 0.00%   | 0.00% |

『胆嚢』 カテゴリー判定結果 : 5才区分 : 男女合計  
超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| A                   | 受診者数   | 392,388 | 4,888  | 11,094 | 28,072 | 55,067 | 54,404 | 55,855 | 53,376 | 43,284 | 39,072 | 22,484 | 14,274 | 7,645  | 2,386  | 487   | 0     |
| カテゴリー判定             | 0      | 14,516  | 5      | 273    | 493    | 1,433  | 1,861  | 2,097  | 2,416  | 2,213  | 1,871  | 958    | 536    | 317    | 5      | 38    | 0     |
|                     | 1      | 118,740 | 1,446  | 3,136  | 9,875  | 19,328 | 18,099 | 17,220 | 16,084 | 12,790 | 10,340 | 4,781  | 2,509  | 1,333  | 1,446  | 353   | 0     |
|                     | 2      | 40,479  | 194    | 589    | 2,389  | 5,519  | 6,236  | 6,499  | 6,940  | 4,968  | 3,886  | 1,645  | 836    | 446    | 260    | 72    | 0     |
|                     | 3      | 2,730   | 9      | 26     | 165    | 356    | 422    | 437    | 462    | 372    | 286    | 100    | 42     | 27     | 6      | 20    | 0     |
|                     | 3'     | 143     | 0      | 2      | 1      | 14     | 18     | 28     | 31     | 17     | 18     | 7      | 5      | 2      | 0      | 0     | 0     |
|                     | 4      | 267     | 1      | 2      | 25     | 49     | 51     | 40     | 40     | 29     | 17     | 9      | 2      | 1      | 0      | 1     | 0     |
|                     | 4'     | 53      | 0      | 1      | 3      | 6      | 11     | 8      | 12     | 6      | 2      | 1      | 0      | 0      | 0      | 3     | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
|                     | 不明     | 215,460 | 3,233  | 7,065  | 15,121 | 28,362 | 27,706 | 29,526 | 27,391 | 22,889 | 22,652 | 14,983 | 10,344 | 5,519  | 669    | 0     | 0     |
| B                   | 要精検者数  | 5,142   | 14     | 40     | 184    | 498    | 547    | 683    | 670    | 680    | 741    | 498    | 304    | 255    | 25     | 3     | 0     |
| B / A %             |        | 1.31%   | 0.29%  | 0.36%  | 0.66%  | 0.90%  | 1.01%  | 1.22%  | 1.26%  | 1.57%  | 1.90%  | 2.21%  | 2.13%  | 3.34%  | 1.05%  | 0.62% | 0.00% |
| C                   | 精検受診者数 | 3,264   | 4      | 22     | 106    | 277    | 286    | 358    | 381    | 442    | 538    | 392    | 239    | 208    | 11     | 0     | 0     |
| C / B %             |        | 63.48%  | 28.57% | 55.00% | 57.61% | 55.62% | 52.29% | 52.42% | 56.87% | 65.00% | 72.60% | 78.71% | 78.62% | 81.57% | 44.00% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 14      | 0      | 0      | 0      | 1      | 0      | 1      | 1      | 1      | 3      | 2      | 2      | 3      | 0      | 0     | 0     |
| D / A %             |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.01%  | 0.01%  | 0.04%  | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.27%   | 0.00%  | 0.00%  | 0.00%  | 0.20%  | 0.00%  | 0.15%  | 0.15%  | 0.15%  | 0.40%  | 0.40%  | 0.66%  | 1.18%  | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% | 0.00% |

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59   | 60～64   | 65～69   | 70～74    | 75～79   | 80～     | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|---------|---------|---------|----------|---------|---------|--------|-------|-------|
| A                   | 受診者数   | 168,462 | 1,548  | 4,374  | 11,517 | 23,616 | 23,860 | 25,525 | 22,849  | 17,772  | 16,900  | 11,006   | 5,781   | 3,045   | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 1      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 2      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 3      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 3'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 4      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 4'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0        | 0       | 0       | 0      | 0     | 0     |
|                     | 不明     | 168,462 | 1,548  | 4,374  | 11,517 | 23,616 | 23,860 | 25,525 | 22,849  | 17,772  | 16,900  | 11,006   | 5,781   | 3,045   | 669    | 0     | 0     |
| B                   | 要精検者数  | 3,935   | 6      | 33     | 126    | 366    | 392    | 470    | 492     | 511     | 608     | 429      | 264     | 217     | 21     | 0     | 0     |
| B / A %             |        | 2.34%   | 0.39%  | 0.75%  | 1.09%  | 1.55%  | 1.64%  | 1.84%  | 2.15%   | 2.88%   | 3.60%   | 3.90%    | 4.57%   | 7.13%   | 3.14%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 2,608   | 2      | 18     | 77     | 209    | 205    | 262    | 292     | 337     | 461     | 347      | 208     | 181     | 9      | 0     | 0     |
| C / B %             |        | 66.28%  | 33.33% | 54.55% | 61.11% | 57.10% | 52.30% | 55.74% | 59.35%  | 65.95%  | 75.82%  | 80.89%   | 78.79%  | 83.41%  | 42.86% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 9       | 0      | 0      | 0      | 0      | 0      | 0      | 1       | 1       | 2       | 1        | 1       | 3       | 0      | 0     | 0     |
| D / A %             |        | 0.01%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.01%   | 0.01%   | 0.01%    | 0.02%   | 0.10%   | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.23%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.20%   | 0.20%   | 0.33%   | 0.23%    | 0.38%   | 1.38%   | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65      | 0      | 0      | 1      | 1      | 2      | 5      | 4       | 6       | 9       | 19       | 9       | 9       | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 722.22% | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 400.00% | 600.00% | 450.00% | 1900.00% | 900.00% | 300.00% | 0.00%  | 0.00% | 0.00% |



『胆道』 カテゴリー判定結果 : 5才区分 : 男女合計  
 超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| A                   | 受診者数   | 325,327 | 4,202  | 9,826  | 23,566 | 42,757 | 41,459 | 43,876 | 43,465 | 37,134 | 35,350 | 21,062 | 13,702 | 7,250  | 1,195  | 483   | 0     |
| カテゴリー判定             | 0      | 10,419  | 0      | 262    | 409    | 1,251  | 1,507  | 1,615  | 1,762  | 1,494  | 1,154  | 576    | 256    | 132    | 1      | 0     | 0     |
|                     | 1      | 127,559 | 1,404  | 3,252  | 10,443 | 18,612 | 18,426 | 18,157 | 18,287 | 14,808 | 12,534 | 5,860  | 3,158  | 1,611  | 524    | 483   | 0     |
|                     | 2      | 614     | 0      | 4      | 10     | 28     | 34     | 52     | 92     | 115    | 118    | 62     | 57     | 41     | 1      | 0     | 0     |
|                     | 3      | 515     | 0      | 0      | 12     | 29     | 31     | 50     | 74     | 99     | 86     | 63     | 32     | 39     | 0      | 0     | 0     |
|                     | 3'     | 79      | 0      | 0      | 0      | 1      | 7      | 4      | 8      | 16     | 17     | 16     | 7      | 3      | 0      | 0     | 0     |
|                     | 4      | 2       | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 1      | 0      | 0      | 0     | 0     |
|                     | 4'     | 1       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0     | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
|                     | 不明     | 186,138 | 2,798  | 6,308  | 12,692 | 22,836 | 21,454 | 23,998 | 23,241 | 20,602 | 21,441 | 14,484 | 10,191 | 5,424  | 669    | 0     | 0     |
| B                   | 要精検者数  | 2,627   | 3      | 8      | 28     | 158    | 145    | 188    | 226    | 373    | 507    | 406    | 297    | 272    | 14     | 2     | 0     |
| B / A %             |        | 0.81%   | 0.07%  | 0.08%  | 0.12%  | 0.37%  | 0.35%  | 0.43%  | 0.52%  | 1.00%  | 1.43%  | 1.93%  | 2.17%  | 3.75%  | 1.17%  | 0.41% | 0.00% |
| C                   | 精検受診者数 | 2,033   | 1      | 5      | 20     | 109    | 91     | 118    | 166    | 287    | 407    | 337    | 254    | 234    | 4      | 0     | 0     |
| C / B %             |        | 77.39%  | 33.33% | 62.50% | 71.43% | 68.99% | 62.76% | 62.77% | 73.45% | 76.94% | 80.28% | 83.00% | 85.52% | 86.03% | 28.57% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 6       | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 1      | 1      | 1      | 2      | 0      | 0     | 0     |
| D / A %             |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.03%  | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.23%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.53%  | 0.00%  | 0.00%  | 0.20%  | 0.25%  | 0.34%  | 0.74%  | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% | 0.00% |

| 群                   |        | 総数       | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54   | 55～59  | 60～64  | 65～69   | 70～74    | 75～79   | 80～    | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|----------|--------|--------|--------|--------|--------|---------|--------|--------|---------|----------|---------|--------|--------|-------|-------|
| A                   | 受診者数   | 139,758  | 1,113  | 3,618  | 9,104  | 18,134 | 17,678 | 20,076  | 18,785 | 15,580 | 15,776  | 10,575   | 5,676   | 2,974  | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 1      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 2      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 3      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 3'     | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 4      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 4'     | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 5      | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 5'     | 0        | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0        | 0       | 0      | 0      | 0     | 0     |
|                     | 不明     | 139,758  | 1,113  | 3,618  | 9,104  | 18,134 | 17,678 | 20,076  | 18,785 | 15,580 | 15,776  | 10,575   | 5,676   | 2,974  | 669    | 0     | 0     |
| B                   | 要精検者数  | 2,368    | 3      | 8      | 22     | 140    | 124    | 160     | 196    | 334    | 469     | 382      | 272     | 245    | 13     | 0     | 0     |
| B / A %             |        | 1.69%    | 0.27%  | 0.22%  | 0.24%  | 0.77%  | 0.70%  | 0.80%   | 1.04%  | 2.14%  | 2.97%   | 3.61%    | 4.79%   | 8.24%  | 1.94%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 1,900    | 1      | 5      | 18     | 102    | 84     | 111     | 150    | 267    | 384     | 326      | 233     | 215    | 4      | 0     | 0     |
| C / B %             |        | 80.24%   | 33.33% | 62.50% | 81.82% | 72.86% | 67.74% | 69.38%  | 76.53% | 79.94% | 81.88%  | 85.34%   | 85.66%  | 87.76% | 30.77% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 4        | 0      | 0      | 0      | 0      | 0      | 1       | 0      | 0      | 1       | 1        | 1       | 0      | 0      | 0     | 0     |
| D / A %             |        | 0.00%    | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00%  | 0.01%   | 0.01%    | 0.02%   | 0.00%  | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.17%    | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.63%   | 0.00%  | 0.00%  | 0.21%   | 0.26%    | 0.37%   | 0.00%  | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65       | 0      | 0      | 1      | 1      | 2      | 5       | 4      | 6      | 9       | 19       | 9       | 9      | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 1625.00% | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 500.00% | 0.00%  | 0.00%  | 900.00% | 1900.00% | 900.00% | 0.00%  | 0.00%  | 0.00% | 0.00% |

『胆道』 カテゴリー判定結果 : 10才区分 : 男女合計  
 超音波検診全国集計成績

| I 群     |                  | 総数       | 29以下  | 30～39 | 40～49  | 50～59  | 60～69  | 70～79   | 80～     | 40未満   | 70以上   | 年齢不明  |
|---------|------------------|----------|-------|-------|--------|--------|--------|---------|---------|--------|--------|-------|
| A       | 受診者数             | 148,619  | 396   | 6,194 | 51,702 | 46,441 | 24,715 | 2,063   | 278     | 13,335 | 3,495  | 0     |
| カテゴリー判定 | 0                | 864      | 0     | 12    | 168    | 287    | 289    | 69      | 7       | 0      | 32     | 0     |
|         | 1                | 141,298  | 394   | 6,113 | 50,048 | 43,949 | 22,424 | 1,536   | 226     | 13,318 | 3,290  | 0     |
|         | 2                | 5,696    | 2     | 66    | 1,386  | 1,937  | 1,736  | 418     | 37      | 8      | 106    | 0     |
|         | 3                | 510      | 0     | 2     | 72     | 177    | 176    | 36      | 6       | 3      | 38     | 0     |
|         | 3'               | 41       | 0     | 1     | 3      | 11     | 20     | 4       | 2       | 0      | 0      | 0     |
|         | 4                | 13       | 0     | 0     | 2      | 7      | 3      | 0       | 0       | 1      | 0      | 0     |
|         | 4'               | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 5                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 5'               | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 不明               | 197      | 0     | 0     | 23     | 73     | 67     | 0       | 0       | 5      | 29     | 0     |
| B       | 要精検者数            | 265      | 0     | 1     | 46     | 79     | 90     | 18      | 6       | 3      | 22     | 0     |
| B/A%    |                  | 0.18%    | 0.00% | 0.02% | 0.09%  | 0.17%  | 0.36%  | 0.87%   | 2.16%   | 0.02%  | 0.63%  | 0.00% |
| C       | 精検受診者数           | 109      | 0     | 0     | 14     | 25     | 42     | 12      | 6       | 0      | 10     | 0     |
| C/B%    |                  | 41.13%   | 0.00% | 0.00% | 30.43% | 31.65% | 46.67% | 66.67%  | 100.00% | 0.00%  | 45.45% | 0.00% |
| D       | 悪性症例数            | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
| D/A%    |                  | 0.00%    | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.00%   | 0.00%  | 0.00%  | 0.00% |
|         | D/B% (陽性反応適中度)   | 0.00%    | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.00%   | 0.00%  | 0.00%  | 0.00% |
|         | D票回収数            | 3        | 0     | 0     | 0      | 2      | 0      | 0       | 0       | 0      | 1      | 0     |
|         | D票回収数/D% (D票回収率) | 0.00%    | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 0.00%   | 0.00%   | 0.00%  | 0.00%  | 0.00% |
| II 群    |                  | 総数       | 29以下  | 30～39 | 40～49  | 50～59  | 60～69  | 70～79   | 80～     | 40未満   | 70以上   | 年齢不明  |
| A       | 受診者数             | 29,424   | 152   | 2,361 | 7,252  | 6,564  | 7,209  | 4,406   | 1,062   | 165    | 253    | 0     |
| カテゴリー判定 | 0                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 1                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 2                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 3                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 3'               | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 4                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 4'               | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 5                | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 5'               | 0        | 0     | 0     | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0     |
|         | 不明               | 29,424   | 152   | 2,361 | 7,252  | 6,564  | 7,209  | 4,406   | 1,062   | 165    | 253    | 0     |
| B       | 要精検者数            | 80       | 0     | 1     | 4      | 12     | 24     | 24      | 15      | 0      | 0      | 0     |
| B/A%    |                  | 0.27%    | 0.00% | 0.04% | 0.06%  | 0.18%  | 0.33%  | 0.54%   | 1.41%   | 0.00%  | 0.00%  | 0.00% |
| C       | 精検受診者数           | 59       | 0     | 0     | 0      | 7      | 19     | 21      | 12      | 0      | 0      | 0     |
| C/B%    |                  | 73.75%   | 0.00% | 0.00% | 0.00%  | 58.33% | 79.17% | 87.50%  | 80.00%  | 0.00%  | 0.00%  | 0.00% |
| D       | 悪性症例数            | 1        | 0     | 0     | 0      | 0      | 0      | 1       | 0       | 0      | 0      | 0     |
| D/A%    |                  | 0.00%    | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 0.02%   | 0.00%   | 0.00%  | 0.00%  | 0.00% |
|         | D/B% (陽性反応適中度)   | 1.25%    | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 4.17%   | 0.00%   | 0.00%  | 0.00%  | 0.00% |
|         | D票回収数            | 19       | 0     | 0     | 0      | 3      | 6      | 5       | 5       | 0      | 0      | 0     |
|         | D票回収数/D% (D票回収率) | 1900.00% | 0.00% | 0.00% | 0.00%  | 0.00%  | 0.00%  | 500.00% | 0.00%   | 0.00%  | 0.00%  | 0.00% |

『膀胱』 カテゴリー判定結果 : 5才区分 : 男女合計  
超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上   | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| A                   | 受診者数   | 379,701 | 4,747  | 10,890 | 27,137 | 52,933 | 52,215 | 53,777 | 51,828 | 42,026 | 37,992 | 21,950 | 14,005 | 7,420  | 2,297  | 483    | 1     |
| カテゴリー判定             | 0      | 14,926  | 16     | 310    | 563    | 1,884  | 2,288  | 2,416  | 2,603  | 2,051  | 1,484  | 713    | 331    | 172    | 95     | 0      | 0     |
|                     | 1      | 152,508 | 1,511  | 3,592  | 11,977 | 23,749 | 23,223 | 22,609 | 22,205 | 17,212 | 13,670 | 6,081  | 3,107  | 1,576  | 1,528  | 468    | 0     |
|                     | 2      | 989     | 5      | 6      | 34     | 81     | 114    | 139    | 173    | 148    | 133    | 70     | 47     | 29     | 5      | 5      | 0     |
|                     | 3      | 1,739   | 1      | 5      | 25     | 92     | 124    | 199    | 244    | 288    | 312    | 179    | 144    | 117    | 0      | 8      | 1     |
|                     | 3'     | 906     | 1      | 0      | 6      | 26     | 51     | 85     | 130    | 158    | 184    | 120    | 98     | 45     | 0      | 2      | 0     |
|                     | 4      | 106     | 1      | 2      | 6      | 6      | 12     | 10     | 12     | 13     | 19     | 11     | 7      | 7      | 0      | 0      | 0     |
|                     | 4'     | 27      | 0      | 0      | 0      | 0      | 4      | 1      | 3      | 6      | 7      | 2      | 4      | 0      | 0      | 0      | 0     |
|                     | 5      | 2       | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 不明     | 208,498 | 3,212  | 6,975  | 14,526 | 27,095 | 26,399 | 28,318 | 26,457 | 22,150 | 22,182 | 14,774 | 10,267 | 5,474  | 669    | 0      | 0     |
| B                   | 要精検者数  | 6,642   | 8      | 25     | 95     | 376    | 402    | 555    | 657    | 893    | 1,290  | 943    | 745    | 627    | 22     | 4      | 0     |
| B / A %             |        | 1.75%   | 0.17%  | 0.23%  | 0.35%  | 0.71%  | 0.77%  | 1.03%  | 1.27%  | 2.12%  | 3.40%  | 4.30%  | 5.32%  | 8.45%  | 0.96%  | 0.83%  | 0.00% |
| C                   | 精検受診者数 | 5,091   | 3      | 16     | 57     | 223    | 243    | 352    | 455    | 670    | 1,059  | 807    | 647    | 549    | 9      | 1      | 0     |
| C / B %             |        | 76.65%  | 37.50% | 64.00% | 60.00% | 59.31% | 60.45% | 63.42% | 69.25% | 75.03% | 82.09% | 85.58% | 86.85% | 87.56% | 40.91% | 25.00% | 0.00% |
| D                   | 悪性症例数  | 71      | 0      | 1      | 1      | 1      | 4      | 5      | 11     | 9      | 18     | 11     | 7      | 3      | 0      | 0      | 0     |
| D / A %             |        | 0.02%   | 0.00%  | 0.01%  | 0.00%  | 0.00%  | 0.01%  | 0.01%  | 0.02%  | 0.02%  | 0.05%  | 0.05%  | 0.05%  | 0.04%  | 0.00%  | 0.00%  | 0.00% |
| D / B % (陽性反応適中度)   |        | 1.07%   | 0.00%  | 4.00%  | 1.05%  | 0.27%  | 1.00%  | 0.90%  | 1.67%  | 1.01%  | 1.40%  | 1.17%  | 0.94%  | 0.48%  | 0.00%  | 0.00%  | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% |

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54   | 55～59   | 60～64   | 65～69  | 70～74   | 75～79   | 80～     | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|---------|---------|---------|--------|---------|---------|---------|--------|-------|-------|
| A                   | 受診者数   | 161,947 | 1,526  | 4,284  | 10,938 | 22,393 | 22,622 | 24,395  | 21,935  | 17,128  | 16,517 | 10,865  | 5,752   | 2,923   | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 1      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 2      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 不明     | 161,947 | 1,526  | 4,284  | 10,938 | 22,393 | 22,622 | 24,395  | 21,935  | 17,128  | 16,517 | 10,865  | 5,752   | 2,923   | 669    | 0     | 0     |
| B                   | 要精検者数  | 4,783   | 6      | 17     | 68     | 267    | 269    | 382     | 451     | 627     | 984    | 723     | 550     | 420     | 19     | 0     | 0     |
| B / A %             |        | 2.95%   | 0.39%  | 0.40%  | 0.62%  | 1.19%  | 1.19%  | 1.57%   | 2.06%   | 3.66%   | 5.96%  | 6.65%   | 9.56%   | 14.37%  | 2.84%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 3,756   | 1      | 12     | 42     | 172    | 166    | 246     | 310     | 480     | 824    | 634     | 487     | 373     | 9      | 0     | 0     |
| C / B %             |        | 78.53%  | 16.67% | 70.59% | 61.76% | 64.42% | 61.71% | 64.40%  | 68.74%  | 76.56%  | 83.74% | 87.69%  | 88.55%  | 88.81%  | 47.37% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 38      | 0      | 1      | 0      | 0      | 3      | 3       | 3       | 5       | 11     | 7       | 3       | 2       | 0      | 0     | 0     |
| D / A %             |        | 0.02%   | 0.00%  | 0.02%  | 0.00%  | 0.00%  | 0.01%  | 0.01%   | 0.01%   | 0.03%   | 0.07%  | 0.06%   | 0.05%   | 0.07%   | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 0.79%   | 0.00%  | 5.88%  | 0.00%  | 0.00%  | 1.12%  | 0.79%   | 0.67%   | 0.80%   | 1.12%  | 0.97%   | 0.55%   | 0.48%   | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65      | 0      | 0      | 1      | 1      | 2      | 5       | 4       | 6       | 9      | 19      | 9       | 9       | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 171.05% | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 66.67% | 166.67% | 133.33% | 120.00% | 81.82% | 271.43% | 300.00% | 450.00% | 0.00%  | 0.00% | 0.00% |

『膵臓』 カテゴリー判定結果 : 10才区分 : 男女合計  
 超音波検診全国集計成績

| I 群              |        | 総数       | 29以下    | 30～39  | 40～49  | 50～59  | 60～69   | 70～79  | 80～    | 40未満    | 70以上   | 年齢不明  |
|------------------|--------|----------|---------|--------|--------|--------|---------|--------|--------|---------|--------|-------|
| A                | 受診者数   | 314,701  | 1,775   | 13,459 | 97,418 | 84,927 | 63,490  | 21,221 | 6,872  | 22,219  | 3,320  | 0     |
| カテゴリー判定          | 0      | 47,544   | 7       | 101    | 19,233 | 15,666 | 8,677   | 36     | 7      | 3,664   | 153    | 0     |
|                  | 1      | 246,174  | 1,764   | 13,284 | 73,337 | 63,799 | 47,951  | 19,628 | 6,117  | 17,438  | 2,856  | 0     |
|                  | 2      | 15,206   | 3       | 32     | 3,625  | 4,131  | 5,073   | 886    | 444    | 987     | 25     | 0     |
|                  | 3      | 2,817    | 1       | 26     | 270    | 631    | 913     | 543    | 267    | 33      | 133    | 0     |
|                  | 3'     | 625      | 0       | 2      | 44     | 110    | 288     | 109    | 26     | 1       | 45     | 0     |
|                  | 4      | 729      | 0       | 6      | 153    | 229    | 293     | 15     | 7      | 17      | 9      | 0     |
|                  | 4'     | 17       | 0       | 0      | 2      | 6      | 5       | 3      | 1      | 0       | 0      | 0     |
|                  | 5      | 24       | 0       | 0      | 4      | 7      | 9       | 1      | 3      | 0       | 0      | 0     |
|                  | 5'     | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 不明     | 1,565    | 0       | 8      | 750    | 348    | 281     | 0      | 0      | 79      | 99     | 0     |
| B                | 要精検者数  | 2,436    | 1       | 22     | 253    | 462    | 785     | 503    | 259    | 24      | 127    | 0     |
| B/A%             |        | 0.77%    | 0.06%   | 0.16%  | 0.26%  | 0.54%  | 1.24%   | 2.37%  | 3.77%  | 0.11%   | 3.83%  | 0.00% |
| C                | 精検受診者数 | 1,688    | 1       | 11     | 135    | 299    | 550     | 423    | 204    | 4       | 61     | 0     |
| C/B%             |        | 69.29%   | 100.00% | 50.00% | 53.36% | 64.72% | 70.06%  | 84.10% | 78.76% | 16.67%  | 48.03% | 0.00% |
| D                | 悪性症例数  | 26       | 0       | 0      | 2      | 3      | 9       | 7      | 5      | 0       | 0      | 0     |
| D/A%             |        | 0.01%    | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.01%   | 0.03%  | 0.07%  | 0.00%   | 0.00%  | 0.00% |
| D/B% (陽性反応適中度)   |        | 1.07%    | 0.00%   | 0.00%  | 0.79%  | 0.65%  | 1.15%   | 1.39%  | 1.93%  | 0.00%   | 0.00%  | 0.00% |
| D票回収数            |        | 3        | 0       | 0      | 0      | 2      | 0       | 0      | 0      | 0       | 1      | 0     |
| D票回収数/D% (D票回収率) |        | 11.54%   | 0.00%   | 0.00%  | 0.00%  | 66.67% | 0.00%   | 0.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00% |
| II 群             |        | 総数       | 29以下    | 30～39  | 40～49  | 50～59  | 60～69   | 70～79  | 80～    | 40未満    | 70以上   | 年齢不明  |
| A                | 受診者数   | 29,424   | 152     | 2,361  | 7,252  | 6,564  | 7,209   | 4,406  | 1,062  | 165     | 253    | 0     |
| カテゴリー判定          | 0      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 1      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 2      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 3      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 3'     | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 4      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 4'     | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 5      | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 5'     | 0        | 0       | 0      | 0      | 0      | 0       | 0      | 0      | 0       | 0      | 0     |
|                  | 不明     | 29,424   | 152     | 2,361  | 7,252  | 6,564  | 7,209   | 4,406  | 1,062  | 165     | 253    | 0     |
| B                | 要精検者数  | 371      | 0       | 9      | 33     | 57     | 108     | 107    | 51     | 1       | 5      | 0     |
| B/A%             |        | 1.26%    | 0.00%   | 0.38%  | 0.46%  | 0.87%  | 1.50%   | 2.43%  | 4.80%  | 0.61%   | 1.98%  | 0.00% |
| C                | 精検受診者数 | 283      | 0       | 4      | 22     | 37     | 78      | 93     | 46     | 1       | 2      | 0     |
| C/B%             |        | 76.28%   | 0.00%   | 44.44% | 66.67% | 64.91% | 72.22%  | 86.92% | 90.20% | 100.00% | 40.00% | 0.00% |
| D                | 悪性症例数  | 1        | 0       | 0      | 0      | 0      | 1       | 0      | 0      | 0       | 0      | 0     |
| D/A%             |        | 0.00%    | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.01%   | 0.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00% |
| D/B% (陽性反応適中度)   |        | 0.27%    | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.93%   | 0.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00% |
| D票回収数            |        | 19       | 0       | 0      | 0      | 3      | 6       | 5      | 5      | 0       | 0      | 0     |
| D票回収数/D% (D票回収率) |        | 1900.00% | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 600.00% | 0.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00% |

『腎臓』 カテゴリー判定結果 : 5才区分 : 男女合計  
超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上   | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| A                   | 受診者数   | 391,529 | 4,884  | 11,041 | 27,813 | 54,526 | 53,759 | 55,417 | 53,162 | 43,228 | 39,448 | 22,900 | 14,578 | 7,906  | 2,366  | 501    | 0     |
| カテゴリー判定             | 0      | 10,318  | 1      | 262    | 408    | 1,238  | 1,501  | 1,601  | 1,746  | 1,477  | 1,139  | 565    | 247    | 129    | 4      | 0      | 0     |
|                     | 1      | 118,978 | 1,538  | 3,339  | 10,694 | 20,760 | 19,109 | 17,726 | 16,143 | 12,054 | 9,008  | 3,824  | 1,928  | 1,025  | 1,520  | 310    | 0     |
|                     | 2      | 46,057  | 110    | 371    | 1,671  | 4,244  | 5,568  | 6,559  | 7,804  | 6,668  | 6,276  | 3,331  | 1,954  | 1,166  | 147    | 188    | 0     |
|                     | 3      | 1,812   | 5      | 30     | 84     | 215    | 252    | 293    | 252    | 211    | 228    | 117    | 66     | 41     | 16     | 2      | 0     |
|                     | 3'     | 95      | 1      | 2      | 4      | 11     | 15     | 12     | 15     | 8      | 15     | 6      | 3      | 2      | 0      | 1      | 0     |
|                     | 4      | 192     | 1      | 3      | 11     | 21     | 25     | 35     | 34     | 23     | 15     | 7      | 4      | 3      | 10     | 0      | 0     |
|                     | 4'     | 19      | 0      | 0      | 0      | 1      | 3      | 2      | 4      | 2      | 3      | 1      | 3      | 0      | 0      | 0      | 0     |
|                     | 5      | 11      | 0      | 0      | 0      | 0      | 2      | 1      | 2      | 4      | 2      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 不明     | 214,047 | 3,228  | 7,034  | 14,941 | 28,036 | 27,284 | 29,188 | 27,162 | 22,781 | 22,762 | 15,049 | 10,373 | 5,540  | 669    | 0      | 0     |
| B                   | 要精検者数  | 4,095   | 11     | 47     | 124    | 371    | 384    | 460    | 484    | 576    | 638    | 457    | 286    | 223    | 29     | 5      | 0     |
| B / A %             |        | 1.05%   | 0.23%  | 0.43%  | 0.45%  | 0.68%  | 0.71%  | 0.83%  | 0.91%  | 1.33%  | 1.62%  | 2.00%  | 1.96%  | 2.82%  | 1.23%  | 1.00%  | 0.00% |
| C                   | 精検受診者数 | 2,726   | 8      | 27     | 71     | 203    | 215    | 263    | 275    | 382    | 479    | 372    | 227    | 187    | 15     | 2      | 0     |
| C / B %             |        | 66.57%  | 72.73% | 57.45% | 57.26% | 54.72% | 55.99% | 57.17% | 56.82% | 66.32% | 75.08% | 81.40% | 79.37% | 83.86% | 51.72% | 40.00% | 0.00% |
| D                   | 悪性症例数  | 122     | 0      | 0      | 1      | 8      | 7      | 16     | 16     | 24     | 22     | 13     | 10     | 5      | 0      | 0      | 0     |
| D / A %             |        | 0.03%   | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.01%  | 0.03%  | 0.03%  | 0.06%  | 0.06%  | 0.06%  | 0.07%  | 0.06%  | 0.00%  | 0.00%  | 0.00% |
| D / B % (陽性反応適中度)   |        | 2.98%   | 0.00%  | 0.00%  | 0.81%  | 2.16%  | 1.82%  | 3.48%  | 3.31%  | 4.17%  | 3.45%  | 2.84%  | 3.50%  | 2.24%  | 0.00%  | 0.00%  | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% |

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39   | 40～44  | 45～49   | 50～54  | 55～59  | 60～64  | 65～69  | 70～74   | 75～79   | 80～     | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|--------|--------|---------|--------|---------|--------|--------|--------|--------|---------|---------|---------|--------|-------|-------|
| A                   | 受診者数   | 167,627 | 1,543  | 4,344  | 11,351  | 23,330 | 23,504  | 25,263 | 22,699 | 17,752 | 17,088 | 11,139  | 5,856   | 3,089   | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 1      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 2      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3'     | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4'     | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5      | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5'     | 0       | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 不明     | 167,627 | 1,543  | 4,344  | 11,351  | 23,330 | 23,504  | 25,263 | 22,699 | 17,752 | 17,088 | 11,139  | 5,856   | 3,089   | 669    | 0     | 0     |
| B                   | 要精検者数  | 3,296   | 7      | 41     | 96      | 284    | 286     | 340    | 377    | 462    | 539    | 399     | 241     | 204     | 20     | 0     | 0     |
| B / A %             |        | 1.97%   | 0.45%  | 0.94%  | 0.85%   | 1.22%  | 1.22%   | 1.35%  | 1.66%  | 2.60%  | 3.15%  | 3.58%   | 4.12%   | 6.60%   | 2.99%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 2,262   | 4      | 23     | 58      | 167    | 167     | 193    | 220    | 314    | 412    | 331     | 193     | 170     | 10     | 0     | 0     |
| C / B %             |        | 68.63%  | 57.14% | 56.10% | 60.42%  | 58.80% | 58.39%  | 56.76% | 58.36% | 67.97% | 76.44% | 82.96%  | 80.08%  | 83.33%  | 50.00% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 77      | 0      | 0      | 1       | 5      | 2       | 9      | 10     | 15     | 14     | 10      | 6       | 5       | 0      | 0     | 0     |
| D / A %             |        | 0.05%   | 0.00%  | 0.00%  | 0.01%   | 0.02%  | 0.01%   | 0.04%  | 0.04%  | 0.08%  | 0.08%  | 0.09%   | 0.10%   | 0.16%   | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 2.34%   | 0.00%  | 0.00%  | 1.04%   | 1.76%  | 0.70%   | 2.65%  | 2.65%  | 3.25%  | 2.60%  | 2.51%   | 2.49%   | 2.45%   | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65      | 0      | 0      | 1       | 1      | 2       | 5      | 4      | 6      | 9      | 19      | 9       | 9       | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 84.42%  | 0.00%  | 0.00%  | 100.00% | 20.00% | 100.00% | 55.56% | 40.00% | 40.00% | 64.29% | 190.00% | 150.00% | 180.00% | 0.00%  | 0.00% | 0.00% |



『腎臓』 カテゴリー判定結果 : 10才区分 : 男女合計  
 超音波検診全国集計成績

| I 群              |        | 総数      | 29以下    | 30～39  | 40～49  | 50～59  | 60～69   | 70～79   | 80～    | 40未満   | 70以上   | 年齢不明  |
|------------------|--------|---------|---------|--------|--------|--------|---------|---------|--------|--------|--------|-------|
| A                | 受診者数   | 276,320 | 1,775   | 13,455 | 82,034 | 73,030 | 54,471  | 21,279  | 6,872  | 19,885 | 3,519  | 0     |
| カテゴリー判定          | 0      | 22      | 0       | 0      | 5      | 7      | 7       | 0       | 0      | 1      | 2      | 0     |
|                  | 1      | 189,046 | 1,653   | 11,628 | 63,243 | 48,560 | 31,438  | 10,948  | 2,723  | 17,384 | 1,469  | 0     |
|                  | 2      | 74,189  | 116     | 1,577  | 15,311 | 19,912 | 19,858  | 10,199  | 4,091  | 1,941  | 1,184  | 0     |
|                  | 3      | 4,869   | 2       | 59     | 1,468  | 1,690  | 1,038   | 103     | 43     | 283    | 183    | 0     |
|                  | 3'     | 127     | 0       | 2      | 24     | 31     | 43      | 13      | 7      | 5      | 2      | 0     |
|                  | 4      | 503     | 0       | 3      | 126    | 152    | 170     | 10      | 6      | 36     | 0      | 0     |
|                  | 4'     | 8       | 0       | 0      | 1      | 2      | 4       | 1       | 0      | 0      | 0      | 0     |
|                  | 5      | 35      | 0       | 1      | 4      | 13     | 9       | 5       | 2      | 1      | 0      | 0     |
|                  | 5'     | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 不明     | 7,521   | 4       | 185    | 1,852  | 2,663  | 1,904   | 0       | 0      | 234    | 679    | 0     |
| B                | 要精検者数  | 1,280   | 1       | 48     | 310    | 372    | 323     | 66      | 37     | 68     | 55     | 0     |
| B/A%             |        | 0.46%   | 0.06%   | 0.36%  | 0.38%  | 0.51%  | 0.59%   | 0.31%   | 0.54%  | 0.34%  | 1.56%  | 0.00% |
| C                | 精検受診者数 | 559     | 1       | 37     | 105    | 149    | 158     | 58      | 26     | 10     | 15     | 0     |
| C/B%             |        | 43.67%  | 100.00% | 77.08% | 33.87% | 40.05% | 48.92%  | 87.88%  | 70.27% | 14.71% | 27.27% | 0.00% |
| D                | 悪性症例数  | 52      | 0       | 2      | 9      | 13     | 15      | 8       | 4      | 1      | 0      | 0     |
| D/A%             |        | 0.02%   | 0.00%   | 0.01%  | 0.01%  | 0.02%  | 0.03%   | 0.04%   | 0.06%  | 0.01%  | 0.00%  | 0.00% |
| D/B% (陽性反応適中度)   |        | 4.06%   | 0.00%   | 4.17%  | 2.90%  | 3.49%  | 4.64%   | 12.12%  | 10.81% | 1.47%  | 0.00%  | 0.00% |
| D票回収数            |        | 3       | 0       | 0      | 0      | 2      | 0       | 0       | 0      | 0      | 1      | 0     |
| D票回収数/D% (D票回収率) |        | 5.77%   | 0.00%   | 0.00%  | 0.00%  | 15.38% | 0.00%   | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00% |
| II 群             |        | 総数      | 29以下    | 30～39  | 40～49  | 50～59  | 60～69   | 70～79   | 80～    | 40未満   | 70以上   | 年齢不明  |
| A                | 受診者数   | 29,424  | 152     | 2,361  | 7,252  | 6,564  | 7,209   | 4,406   | 1,062  | 165    | 253    | 0     |
| カテゴリー判定          | 0      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 1      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 2      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 3      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 3'     | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 4      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 4'     | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 5      | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 5'     | 0       | 0       | 0      | 0      | 0      | 0       | 0       | 0      | 0      | 0      | 0     |
|                  | 不明     | 29,424  | 152     | 2,361  | 7,252  | 6,564  | 7,209   | 4,406   | 1,062  | 165    | 253    | 0     |
| B                | 要精検者数  | 485     | 0       | 15     | 47     | 101    | 132     | 129     | 50     | 5      | 6      | 0     |
| B/A%             |        | 1.65%   | 0.00%   | 0.64%  | 0.65%  | 1.54%  | 1.83%   | 2.93%   | 4.71%  | 3.03%  | 2.37%  | 0.00% |
| C                | 精検受診者数 | 391     | 0       | 12     | 31     | 73     | 113     | 111     | 43     | 3      | 5      | 0     |
| C/B%             |        | 80.62%  | 0.00%   | 80.00% | 65.96% | 72.28% | 85.61%  | 86.05%  | 86.00% | 60.00% | 83.33% | 0.00% |
| D                | 悪性症例数  | 8       | 0       | 0      | 1      | 4      | 1       | 2       | 0      | 0      | 0      | 0     |
| D/A%             |        | 0.03%   | 0.00%   | 0.00%  | 0.01%  | 0.06%  | 0.01%   | 0.05%   | 0.00%  | 0.00%  | 0.00%  | 0.00% |
| D/B% (陽性反応適中度)   |        | 1.65%   | 0.00%   | 0.00%  | 2.13%  | 3.96%  | 0.76%   | 1.55%   | 0.00%  | 0.00%  | 0.00%  | 0.00% |
| D票回収数            |        | 19      | 0       | 0      | 0      | 3      | 6       | 5       | 5      | 0      | 0      | 0     |
| D票回収数/D% (D票回収率) |        | 237.50% | 0.00%   | 0.00%  | 0.00%  | 75.00% | 600.00% | 250.00% | 0.00%  | 0.00%  | 0.00%  | 0.00% |





『その他』 カテゴリー判定結果 : 5才区分 : 男女合計  
超音波検診全国集計成績

| 群                   |        | 総数      | 29以下   | 30～34  | 35～39  | 40～44  | 45～49  | 50～54  | 55～59  | 60～64  | 65～69  | 70～74  | 75～79  | 80～    | 40未満   | 70以上   | 年齢不明  |
|---------------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| A                   | 受診者数   | 302,806 | 3,589  | 8,279  | 19,717 | 39,163 | 37,845 | 39,280 | 40,127 | 35,905 | 34,677 | 20,735 | 13,531 | 7,179  | 2,296  | 483    | 0     |
| カテゴリー判定             | 0      | 10,366  | 2      | 265    | 413    | 1,253  | 1,524  | 1,607  | 1,760  | 1,489  | 1,140  | 556    | 239    | 118    | 0      | 0      | 0     |
|                     | 1      | 136,384 | 1,437  | 3,253  | 10,371 | 20,901 | 20,774 | 20,215 | 20,016 | 15,649 | 12,283 | 5,351  | 2,668  | 1,360  | 1,627  | 479    | 0     |
|                     | 2      | 2,208   | 3      | 6      | 13     | 39     | 106    | 135    | 272    | 340    | 451    | 312    | 334    | 193    | 0      | 4      | 0     |
|                     | 3      | 124     | 0      | 4      | 4      | 11     | 13     | 14     | 21     | 14     | 18     | 15     | 4      | 6      | 0      | 0      | 0     |
|                     | 3'     | 13      | 0      | 0      | 1      | 2      | 1      | 1      | 3      | 1      | 2      | 0      | 2      | 0      | 0      | 0      | 0     |
|                     | 4      | 713     | 3      | 13     | 38     | 119    | 154    | 149    | 100    | 64     | 41     | 13     | 12     | 7      | 0      | 0      | 0     |
|                     | 4'     | 566     | 0      | 3      | 30     | 81     | 111    | 156    | 93     | 35     | 32     | 19     | 2      | 4      | 0      | 0      | 0     |
|                     | 5      | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 5'     | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
|                     | 不明     | 152,432 | 2,144  | 4,735  | 8,847  | 16,757 | 15,162 | 17,003 | 17,862 | 18,313 | 20,710 | 14,469 | 10,270 | 5,491  | 669    | 0      | 0     |
| B                   | 要精検者数  | 2,574   | 9      | 19     | 57     | 263    | 251    | 258    | 236    | 346    | 436    | 319    | 197    | 152    | 26     | 5      | 0     |
| B / A %             |        | 0.85%   | 0.25%  | 0.23%  | 0.29%  | 0.67%  | 0.66%  | 0.66%  | 0.59%  | 0.96%  | 1.26%  | 1.54%  | 1.46%  | 2.12%  | 1.13%  | 1.04%  | 0.00% |
| C                   | 精検受診者数 | 1,904   | 6      | 15     | 35     | 184    | 154    | 176    | 161    | 254    | 343    | 272    | 160    | 126    | 15     | 3      | 0     |
| C / B %             |        | 73.97%  | 66.67% | 78.95% | 61.40% | 69.96% | 61.35% | 68.22% | 68.22% | 73.41% | 78.67% | 85.27% | 81.22% | 82.89% | 57.69% | 60.00% | 0.00% |
| D                   | 悪性症例数  | 84      | 0      | 0      | 0      | 4      | 4      | 5      | 15     | 9      | 23     | 8      | 3      | 13     | 0      | 0      | 0     |
| D / A %             |        | 0.03%   | 0.00%  | 0.00%  | 0.00%  | 0.01%  | 0.01%  | 0.01%  | 0.04%  | 0.03%  | 0.07%  | 0.04%  | 0.02%  | 0.18%  | 0.00%  | 0.00%  | 0.00% |
| D / B % (陽性反応適中度)   |        | 3.26%   | 0.00%  | 0.00%  | 0.00%  | 1.52%  | 1.59%  | 1.94%  | 6.36%  | 2.60%  | 5.28%  | 2.51%  | 1.52%  | 8.55%  | 0.00%  | 0.00%  | 0.00% |
| D票回収数               |        | 0       | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0     |
| D票回収数 / D % (D票回収率) |        | 0.00%   | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00%  | 0.00% |

| 群                   |        | 総数      | 29以下  | 30～34   | 35～39  | 40～44  | 45～49  | 50～54   | 55～59  | 60～64   | 65～69  | 70～74   | 75～79   | 80～     | 40未満   | 70以上  | 年齢不明  |
|---------------------|--------|---------|-------|---------|--------|--------|--------|---------|--------|---------|--------|---------|---------|---------|--------|-------|-------|
| A                   | 受診者数   | 105,984 | 459   | 2,045   | 5,259  | 12,051 | 11,384 | 13,077  | 13,399 | 13,277  | 15,034 | 10,550  | 5,745   | 3,035   | 669    | 0     | 0     |
| カテゴリー判定             | 0      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 1      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 2      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 3'     | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 4'     | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5      | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 5'     | 0       | 0     | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0       | 0       | 0      | 0     | 0     |
|                     | 不明     | 105,984 | 459   | 2,045   | 5,259  | 12,051 | 11,384 | 13,077  | 13,399 | 13,277  | 15,034 | 10,550  | 5,745   | 3,035   | 669    | 0     | 0     |
| B                   | 要精検者数  | 1,971   | 2     | 7       | 31     | 176    | 173    | 172     | 172    | 283     | 366    | 285     | 158     | 121     | 25     | 0     | 0     |
| B / A %             |        | 1.86%   | 0.44% | 0.34%   | 0.59%  | 1.46%  | 1.52%  | 1.32%   | 1.28%  | 2.13%   | 2.43%  | 2.70%   | 2.75%   | 3.99%   | 3.74%  | 0.00% | 0.00% |
| C                   | 精検受診者数 | 1,509   | 0     | 7       | 20     | 126    | 114    | 125     | 123    | 216     | 292    | 243     | 128     | 100     | 15     | 0     | 0     |
| C / B %             |        | 76.56%  | 0.00% | 100.00% | 64.52% | 71.59% | 65.90% | 72.67%  | 71.51% | 76.33%  | 79.78% | 85.26%  | 81.01%  | 82.64%  | 60.00% | 0.00% | 0.00% |
| D                   | 悪性症例数  | 54      | 0     | 0       | 0      | 0      | 3      | 3       | 8      | 6       | 18     | 6       | 2       | 8       | 0      | 0     | 0     |
| D / A %             |        | 0.05%   | 0.00% | 0.00%   | 0.00%  | 0.00%  | 0.03%  | 0.02%   | 0.06%  | 0.05%   | 0.12%  | 0.06%   | 0.03%   | 0.26%   | 0.00%  | 0.00% | 0.00% |
| D / B % (陽性反応適中度)   |        | 2.74%   | 0.00% | 0.00%   | 0.00%  | 0.00%  | 1.73%  | 1.74%   | 4.65%  | 2.12%   | 4.92%  | 2.11%   | 1.27%   | 6.61%   | 0.00%  | 0.00% | 0.00% |
| D票回収数               |        | 65      | 0     | 0       | 1      | 1      | 2      | 5       | 4      | 6       | 9      | 19      | 9       | 9       | 0      | 0     | 0     |
| D票回収数 / D % (D票回収率) |        | 120.37% | 0.00% | 0.00%   | 0.00%  | 0.00%  | 66.67% | 166.67% | 50.00% | 100.00% | 50.00% | 316.67% | 450.00% | 112.50% | 0.00%  | 0.00% | 0.00% |

『その他』 カテゴリー判定結果 : 10才区分 : 男女合計  
 超音波検診全国集計成績

| I 群              |        | 総数      | 29以下  | 30～39  | 40～49  | 50～59   | 60～69  | 70～79   | 80～    | 40未満   | 70以上    | 年齢不明  |
|------------------|--------|---------|-------|--------|--------|---------|--------|---------|--------|--------|---------|-------|
| A                | 受診者数   | 132,768 | 392   | 6,041  | 47,205 | 40,308  | 21,962 | 2,321   | 321    | 11,145 | 3,073   | 0     |
| カテゴリー判定          | 0      | 162     | 0     | 0      | 61     | 36      | 26     | 0       | 0      | 31     | 8       | 0     |
|                  | 1      | 127,148 | 390   | 6,023  | 46,508 | 38,533  | 19,833 | 2,188   | 298    | 11,035 | 2,340   | 0     |
|                  | 2      | 4,733   | 2     | 8      | 517    | 1,483   | 1,886  | 80      | 15     | 57     | 685     | 0     |
|                  | 3      | 285     | 0     | 5      | 37     | 110     | 87     | 16      | 4      | 10     | 16      | 0     |
|                  | 3'     | 113     | 0     | 1      | 7      | 28      | 45     | 26      | 4      | 1      | 1       | 0     |
|                  | 4      | 174     | 0     | 3      | 48     | 61      | 39     | 8       | 0      | 9      | 6       | 0     |
|                  | 4'     | 56      | 0     | 0      | 8      | 26      | 16     | 3       | 0      | 1      | 2       | 0     |
|                  | 5      | 7       | 0     | 0      | 2      | 2       | 1      | 0       | 0      | 1      | 1       | 0     |
|                  | 5'     | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 不明     | 90      | 0     | 1      | 17     | 29      | 29     | 0       | 0      | 0      | 14      | 0     |
| B                | 要精検者数  | 349     | 0     | 9      | 68     | 124     | 88     | 22      | 4      | 12     | 22      | 0     |
| B/A%             |        | 0.26%   | 0.00% | 0.15%  | 0.14%  | 0.31%   | 0.40%  | 0.95%   | 1.25%  | 0.11%  | 0.72%   | 0.00% |
| C                | 精検受診者数 | 177     | 0     | 5      | 29     | 69      | 38     | 13      | 3      | 7      | 13      | 0     |
| C/B%             |        | 50.72%  | 0.00% | 55.56% | 42.65% | 55.65%  | 43.18% | 59.09%  | 75.00% | 58.33% | 59.09%  | 0.00% |
| D                | 悪性症例数  | 10      | 0     | 0      | 1      | 4       | 3      | 1       | 0      | 0      | 1       | 0     |
| D/A%             |        | 0.01%   | 0.00% | 0.00%  | 0.00%  | 0.01%   | 0.01%  | 0.04%   | 0.00%  | 0.00%  | 0.03%   | 0.00% |
| D/B% (陽性反応適中度)   |        | 2.87%   | 0.00% | 0.00%  | 1.47%  | 3.23%   | 3.41%  | 4.55%   | 0.00%  | 0.00%  | 4.55%   | 0.00% |
| D票回収数            |        | 3       | 0     | 0      | 0      | 2       | 0      | 0       | 0      | 0      | 1       | 0     |
| D票回収数/D% (D票回収率) |        | 30.00%  | 0.00% | 0.00%  | 0.00%  | 50.00%  | 0.00%  | 0.00%   | 0.00%  | 0.00%  | 100.00% | 0.00% |
| II 群             |        | 総数      | 29以下  | 30～39  | 40～49  | 50～59   | 60～69  | 70～79   | 80～    | 40未満   | 70以上    | 年齢不明  |
| A                | 受診者数   | 31,388  | 155   | 2,370  | 7,799  | 7,402   | 7,659  | 4,434   | 1,064  | 240    | 265     | 0     |
| カテゴリー判定          | 0      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 1      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 2      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 3      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 3'     | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 4      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 4'     | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 5      | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 5'     | 0       | 0     | 0      | 0      | 0       | 0      | 0       | 0      | 0      | 0       | 0     |
|                  | 不明     | 31,388  | 155   | 2,370  | 7,799  | 7,402   | 7,659  | 4,434   | 1,064  | 240    | 265     | 0     |
| B                | 要精検者数  | 93      | 0     | 3      | 21     | 22      | 27     | 6       | 4      | 0      | 10      | 0     |
| B/A%             |        | 0.30%   | 0.00% | 0.13%  | 0.27%  | 0.30%   | 0.35%  | 0.14%   | 0.38%  | 0.00%  | 3.77%   | 0.00% |
| C                | 精検受診者数 | 23      | 0     | 2      | 1      | 7       | 7      | 1       | 1      | 0      | 4       | 0     |
| C/B%             |        | 24.73%  | 0.00% | 66.67% | 4.76%  | 31.82%  | 25.93% | 16.67%  | 25.00% | 0.00%  | 40.00%  | 0.00% |
| D                | 悪性症例数  | 2       | 0     | 0      | 0      | 1       | 0      | 1       | 0      | 0      | 0       | 0     |
| D/A%             |        | 0.01%   | 0.00% | 0.00%  | 0.00%  | 0.01%   | 0.00%  | 0.02%   | 0.00%  | 0.00%  | 0.00%   | 0.00% |
| D/B% (陽性反応適中度)   |        | 2.15%   | 0.00% | 0.00%  | 0.00%  | 4.55%   | 0.00%  | 16.67%  | 0.00%  | 0.00%  | 0.00%   | 0.00% |
| D票回収数            |        | 19      | 0     | 0      | 0      | 3       | 6      | 5       | 5      | 0      | 0       | 0     |
| D票回収数/D% (D票回収率) |        | 950.00% | 0.00% | 0.00%  | 0.00%  | 300.00% | 0.00%  | 500.00% | 0.00%  | 0.00%  | 0.00%   | 0.00% |

## 悪性症例疾患リスト(年齢不明含む)

## 超音波検診全国集計成績

## 『腎』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |    |    |    |    |    |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|----|----|----|----|----|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3  | 3' | 4  | 4' | 5  | 5' | 不明 |           |            |     |    |
| 腎細胞がん    | 194          | 0        | 1 | 1 | 19 | 0  | 58 | 2  | 30 | 0  | 83 | 150       | 19         | 2   | 23 |
| 腎盂がん     | 3            | 0        | 0 | 0 | 1  | 0  | 0  | 0  | 1  | 0  | 1  | 3         | 0          | 0   | 0  |
| 尿管がん     | 4            | 0        | 0 | 0 | 2  | 0  | 0  | 0  | 0  | 0  | 2  | 2         | 2          | 0   | 0  |
| 他がんの腎転移  | 0            | 0        | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0         | 0          | 0   | 0  |
| その他      | 3            | 0        | 0 | 0 | 0  | 0  | 1  | 0  | 0  | 0  | 2  | 0         | 1          | 1   | 1  |
| 合計(悪性症例) | 204          | 0        | 1 | 1 | 22 | 0  | 59 | 2  | 31 | 0  | 88 | 155       | 22         | 3   | 24 |

## 『脾』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |   |    |   |    |   |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|---|----|---|----|---|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3 | 3' | 4 | 4' | 5 | 5' | 不明 |           |            |     |    |
| 悪性リンパ腫   | 2            | 0        | 0 | 0 | 1 | 0  | 1 | 0  | 0 | 0  | 0  | 0         | 2          | 0   | 0  |
| その他      | 1            | 0        | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 1  | 1         | 0          | 0   | 0  |
| 合計(悪性症例) | 3            | 0        | 0 | 0 | 1 | 0  | 1 | 0  | 0 | 0  | 1  | 1         | 2          | 0   | 0  |

## 『その他』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |    |    |    |    |   |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|----|----|----|----|---|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3  | 3' | 4  | 4' | 5 | 5' | 不明 |           |            |     |    |
| 悪性リンパ腫   | 6            | 0        | 0 | 0 | 0  | 0  | 4  | 0  | 0 | 0  | 2  | 0         | 5          | 0   | 1  |
| 消化管のがん   | 17           | 0        | 0 | 0 | 3  | 0  | 3  | 0  | 0 | 0  | 11 | 10        | 4          | 2   | 1  |
| その他      | 80           | 0        | 0 | 0 | 10 | 0  | 16 | 0  | 0 | 0  | 54 | 64        | 6          | 4   | 6  |
| 合計(悪性症例) | 103          | 0        | 0 | 0 | 13 | 0  | 23 | 0  | 0 | 0  | 67 | 74        | 15         | 6   | 8  |

## 悪性症例疾患リスト(年齢不明含む)

## 超音波検診全国集計成績

## 『腎』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |    |    |    |    |    |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|----|----|----|----|----|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3  | 3' | 4  | 4' | 5  | 5' | 不明 |           |            |     |    |
| 腎細胞がん    | 194          | 0        | 1 | 1 | 19 | 0  | 58 | 2  | 30 | 0  | 83 | 150       | 19         | 2   | 23 |
| 腎盂がん     | 3            | 0        | 0 | 0 | 1  | 0  | 0  | 0  | 1  | 0  | 1  | 3         | 0          | 0   | 0  |
| 尿管がん     | 4            | 0        | 0 | 0 | 2  | 0  | 0  | 0  | 0  | 0  | 2  | 2         | 2          | 0   | 0  |
| 他がんの腎転移  | 0            | 0        | 0 | 0 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0         | 0          | 0   | 0  |
| その他      | 3            | 0        | 0 | 0 | 0  | 0  | 1  | 0  | 0  | 0  | 2  | 0         | 1          | 1   | 1  |
| 合計(悪性症例) | 204          | 0        | 1 | 1 | 22 | 0  | 59 | 2  | 31 | 0  | 88 | 155       | 22         | 3   | 24 |

## 『脾』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |   |    |   |    |   |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|---|----|---|----|---|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3 | 3' | 4 | 4' | 5 | 5' | 不明 |           |            |     |    |
| 悪性リンパ腫   | 2            | 0        | 0 | 0 | 1 | 0  | 1 | 0  | 0 | 0  | 0  | 0         | 2          | 0   | 0  |
| その他      | 1            | 0        | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 0  | 1  | 1         | 0          | 0   | 0  |
| 合計(悪性症例) | 3            | 0        | 0 | 0 | 1 | 0  | 1 | 0  | 0 | 0  | 1  | 1         | 2          | 0   | 0  |

## 『その他』

| 臓器・腫瘍    | 把握できた<br>症例数 | 検診時カテゴリー |   |   |    |    |    |    |   |    |    | 切除<br>症例数 | 非切除<br>治療数 | その他 | 不明 |
|----------|--------------|----------|---|---|----|----|----|----|---|----|----|-----------|------------|-----|----|
|          |              | 0        | 1 | 2 | 3  | 3' | 4  | 4' | 5 | 5' | 不明 |           |            |     |    |
| 悪性リンパ腫   | 6            | 0        | 0 | 0 | 0  | 0  | 4  | 0  | 0 | 0  | 2  | 0         | 5          | 0   | 1  |
| 消化管のがん   | 17           | 0        | 0 | 0 | 3  | 0  | 3  | 0  | 0 | 0  | 11 | 10        | 4          | 2   | 1  |
| その他      | 80           | 0        | 0 | 0 | 10 | 0  | 16 | 0  | 0 | 0  | 54 | 64        | 6          | 4   | 6  |
| 合計(悪性症例) | 103          | 0        | 0 | 0 | 13 | 0  | 23 | 0  | 0 | 0  | 67 | 74        | 15         | 6   | 8  |